

Appl. No. 10/682,630
Atty. Docket No. 8346C
Amdt. dated 2/7/2005
Customer No. 27752

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A cleaning implement for hard surface cleaning comprising:
 - (a) a handle;
 - (b) a mop head pivotably attached to said handle, said mop head having ~~a pad forming a~~ bottom surface;
 - (c) at least one elevational element ~~removably attached to said bottom surface of said pad~~ such that said mop head is capable of pivoting relative the surface to be cleaned wherein said elevational element is substantially centered on said bottom surface; and
 - (d) an absorbent cleaning pad ~~engaging said elevational element and removably attachable to~~ said mop head
2. (Cancelled).
3. (Previously Presented) The cleaning implement of claim 1 wherein the width of said elevational element is smaller than the width of said mop head.
4. (Previously Presented) The cleaning implement of claim 1 wherein the length of said elevational element is smaller than the length of said mop head.
5. (Previously Presented) The cleaning implement of claim 1 wherein the edges of said elevational element are either squared, rounded, angled, textured, smooth or any combination thereof.
6. (Original) The cleaning implement of claim 1 wherein said elevational element is generally non-compressible

Appl. No. 10/582,630
Atty. Docket No. 8346C
Amdt. dated 2/7/2005
Customer No. 27752

7. (Original) The cleaning implement of claim 1 wherein said elevational element is generally compressible.
8. (Cancelled)
9. (Original) The cleaning implement of claim 1 further comprising a second elevational element attached to the first elevational element.
10. (Original) The cleaning implement of claim 9 wherein the width of said second elevational element is smaller than the width of the width of said first elevational element.
11. (Original) The cleaning implement of claim 9 wherein the thickness of said second elevational element is smaller than the thickness of said first elevational element.
12. (Currently Amended) A cleaning implement for cleaning floors comprising a handle, a mop head pivotably attached to said handle, said mop head having a bottom surface, a first and a second elevational element removably attached to said bottom surface such that said mop head is capable of pivoting relative the surface to be cleaned, and an absorbent cleaning pad wherein said elevational elements are capable of increasing the absorptive efficiency of said cleaning pad.
13. (Previously Presented) The cleaning implement of claim 12 wherein said elevational elements are capable of increasing the absorptive efficiency of said cleaning pad by at least 10 percent.
14. (Previously Presented) The cleaning implement of claim 13 wherein said elevational elements are capable of increasing the absorptive efficiency of said cleaning pad by at least 15 percent.

Appl. No. 10/682,630
Atty. Docket No. 8346C
Amdt. dated 2/7/2005
Customer No. 27752

15. (Previously Presented) The cleaning implement of claim 14 wherein said elevational elements are capable of increasing the absorptive efficiency of said cleaning pad by at least 20 percent.
16. (Previously Presented) A cleaning implement for cleaning floors comprising a handle, a mop head pivotably attached to said handle, said mop head having a bottom surface, a first elevational element attached to said bottom surface and a second elevational element attached to said first elevational element such that said mop head is capable of pivoting relative the surface to be cleaned, and an absorbent cleaning pad wherein said first and second elevational elements are capable of increasing the absorptive efficiency of said cleaning pad.
- 17-23 (Cancelled)
24. (Original) The cleaning element according to claim 1 wherein said absorbent cleaning pad further comprises at least a functional cuff attached to said pad, said cuff comprising a cuff material and having an inner surface and an outer surface capable of contacting a surface to be cleaned wherein the ratio of the glide force resulting from the contact of the inner surface of said cuff material against itself relative to the glide force resulting from the contact of the outer surface of said cuff material against the material of the surface to be cleaned is smaller than 1.
25. (Currently Amended) A cleaning implement for hard surface cleaning comprising:
- (a) a handle;
 - (b) a mop head pivotably attached to said handle, said mop head having ~~a pad forming a~~ bottom surface;
 - (c) at least one elevational element attached to said bottom surface ~~of said pad~~ such that said mop head is capable of pivoting relative the surface to be cleaned; and
 - (d) an absorbent cleaning pad engaging said elevational element and removably attachable to said mop head wherein said absorbent cleaning pad further comprises at least a functional cuff attached to said pad, said cuff comprising a cuff material and having an inner surface and an outer surface capable of contacting a surface to be cleaned

Appl. No. 10/682,630
Atty. Docket No. 8346C
Amdt. dated 2/7/2005
Customer No. 27752

wherein the ratio of the glide force resulting from the contact of the inner surface of said cuff material against itself relative to the glide force resulting from the contact of the outer surface of said cuff material against the material of the surface to be cleaned is smaller than 1.

26. (Previously Presented) The cleaning implement of claim 25 wherein the width of said elevational element is smaller than the width of said mop head.
27. (Previously Presented) The cleaning implement of claim 25 wherein the length of said elevational element is smaller than the length of said mop head.
28. (Previously Presented) The cleaning implement of claim 25 wherein the edges of said elevational element are either squared, rounded, angled, textured, smooth or any combination thereof.
29. (Previously Presented) The cleaning implement of claim 25 wherein said elevational element is generally non-compressible
30. (Previously Presented) The cleaning implement of claim 25 wherein said elevational element is generally compressible.